		8	resynchroniz$4 with ("power loss" or "low power")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:51
-		1	(resynchroniz$4 with ("power loss" or "low power")) and ("security sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:52
-		8	(resynchroniz$4 or "re establish$4") with ("power loss" or "low power")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:11
-		1	((resynchroniz$4 or "re establish$4") with ("power loss" or "low power")) and ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 12:52
-		7	((resynchroniz$4 or "re establish$4") with ("power loss" or "low power")) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:18
-		0	(resynchroniz$4 or "re establish$4") with ("power near2 loss" or "low near2 power" or "signal near2 loss")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:13
-		0	(resynchroniz$4 or "re establish$4") with ("signal near2 loss")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:12
-		22	(resynchroniz$4 or "re establish$4") with ((power near2 loss) or (low near2 power) or (signal near2 loss))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:13
-		21	((resynchroniz$4 or "re establish$4") with ((power near2 loss) or (low near2 power) or (signal near2 loss))) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 13:14
-		24	("sequence value" with ("data packet" or "data block"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:18
-		1	(("sequence value" with ("data packet" or "data block"))) and 380/260.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:18
-		14	(("sequence value" with ("data packet" or "data block"))) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 16:01
-		2	stor$3 with ("sequence value" with resynchroniz$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:46
-		1	(reestablish$3 or "re establish$5") with ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:47

-	3	(reestablish$3 or "re establish$5" or resynchroniz$5) with ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:52
-	4	(reestablish$3 or "re establish$5" or resynchroniz$5) same ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:54
-	1	((reestablish$3 or "re establish$5" or resynchroniz$5) and ("sequence value")) and 380/260.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:55
-	200	(reestablish$3 or "re establish$5" or resynchroniz$5) and ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 15:55
-	135	((reestablish$3 or "re establish$5" or resynchroniz$5) and ("sequence value")) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 16:20
-	14	(((reestablish$3 or "re establish$5" or resynchroniz$5) and ("sequence value")) and @ad < "20010629") and (acknowledg$5 with "sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:58
-	2	"sequence value" with (resynchroniz$4 or reestablish$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:59
-	21	"sequence value" with (synchroniz$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:59
-	17	("sequence value" with (synchroniz$4)) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:56
-	13	"anti replay" with IPsec	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:56
-	4	("anti replay" with IPsec) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 12:56

L Number	Hits	Search Text	DB	Time stamp
-	5392	resynchroniz$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:16
-	4245	resynchroniz$3 and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/27 10:59
-	0	(resynchroniz$3 and @ad < "20010629") and ("security sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:46
-	79	(resynchroniz$3 and @ad < "20010629") and ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:17
-	1932	(resynchroniz$3 or reestablish$4) with communicat$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:16
-	1471	((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:17
-	23	(((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629") and ("sequence value")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:17
-	0	((((((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629") and ("sequence value")) and acknowledg$4) and authenticat$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:19
-	0	((((((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629") and ("sequence value")) and acknowledg$4) and (detect$4 with (desynchroniz$3 or disconnect$3 or disrupt$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:20
-	1	((((((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629") and ("sequence value")) and acknowledg$4) and ((desynchroniz$3 or disconnect$3 or disrupt$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:23
-	0	((((((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629") and ("sequence.value")) and acknowledg$4) and ("low power state")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:23
-	17	((((((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629") and ("sequence value")) and acknowledg$4) and ("low power")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 10:24
-	18	((((resynchroniz$3 or reestablish$4) with communicat$3) and @ad < "20010629") and ("sequence value")) and acknowledg$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:01
-	32	((resynchroniz$3 and @ad < "20010629") and ("sequence value")) and acknowledg$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/26 11:45